

# MITTEN®

BUILDING PRODUCTS

## Build BOLD

Create a look that's all your own.



# 2022 PRODUCT SHOWCASE

# INDEX

## MITTEN®

### BUILDING PRODUCTS

Mitten provides the most comprehensive selection of high quality, in-stock exterior design solutions.

Mitten helps Architects, Builders and Installers make their ideas and projects come to life by supplying quality materials in an endless variety of design solutions that are easy to install. Mitten sets the benchmark for quality, design options and product availability.

As part of the Cornerstone Building Brands family, we are the largest manufacturer of exterior building products in North America.

#### SIDING



- Sentry Variegated ..... 4, 5
- Sentry ..... 6, 7
- Highland..... 8, 9
- Oregon Pride..... 10, 11
- Vinyl Trims & Accessories ..... 12, 13 14
- Vinyl Soffit ..... 16, 17

- Pleasant View Skirting ..... 17
- LUX Architectural Products..... 18, 19
- Ply Gem Steel Siding ..... 20
- Certificate of Conformance/Warranty ..... 21
- Vinyl Colour Matrix..... 40, 41

#### ALUMINUM



- M Series Aluminum .. 22, 23
- Alu-Rex Gutter Protection..... 24

#### SHAKE & STONE



- Mitten Colour Matched 8' Shake..... 25
- NovikShake NP Northern Perfection ..... 25
- NovikShake™ and NovikStone™ ..... 26, 27
- The Foundry Shake..... 28
- Shake Stocking Matrix... 29




- Genstone ..... 30
- Versetta Stone ..... 31
- Stone Stocking Matrix... 29

#### WINDOWS & DOORS



- Ply Gem Windows ..... 32
- Fusion Colour Wrap ..... 32
- Ply Gem Doors ..... 33

#### ACCENTS



- Ply Gem Blocks & Vents..... 34, 35
- Ply Gem PVC Trim..... 36
- Novik Shutters..... 36
- Fence, Railings & Columns ..... 37

#### BUILDING ENVELOPE



- House Wrap ..... 38
- Insulation, Sealants & Foams ..... 38

#### TOOLS & EQUIPMENT



- Tools ..... 39
- Bending Equipment ..... 39
- Scaffolding & Ladders..... 39
- Fasteners ..... 39

#### BRANCH LOCATIONS

- Branch Locations..... 42

## MITTEN®

---

### BUILDING PRODUCTS



#### Free Samples

Want to see a colour up close? Order up to 5 complimentary vinyl siding and colour matched shake sample chips online.

Visit [mittensiding.com](http://mittensiding.com) and order your free samples!



COLOURMATCH

#### The Mitten Colour Match Concept

Mitten Siding & Accessories offer you the choice to match your Vinyl Siding colours with an extensive variety of complementary products.

Choose Colour Matched Trim, Shake, Blocks/Mounts/Vents, Caulking and Fasteners.

We even have colour matches on file with major paint manufacturers.

Have confidence knowing your home is going to look great with Colour Matched Mitten Siding and Accessories.



#### Visualization

Take the guesswork out of your exterior makeover, try different products and colour combinations. You can use one of our pre-masked photos, or upload and customize a photo of your own home.

Visit the **Mitten Visualizer** section of [www.mittensiding.com](http://www.mittensiding.com) or download the **Mitten Pro iPad App** (Search "Mitten Pro" for iPad only).



#### Sales Leads

Each month, tens of thousands visit our website. Homeowners searching for product information are directed to the "Where To Buy" contractor locator or they can click "Get an Estimate" to be connected with a member of the Mitten Team. By completing a short online form to detail their project, these homeowners quickly become pre-qualified sales leads.



#### Online Training

Continue to develop your skills and knowledge with Mitten Online Training. To be successful, everyone needs to have knowledge about the products they sell, install, service or support. Go to [mittentraining.com](http://mittentraining.com) or to our website at [mittensiding.com](http://mittensiding.com)







Our ultra premium variegated siding features four multi-tone RUSTIC colours to achieve the stunning look of stained cedar with a deep textured woodgrain. Painting, sealing or caulking is never required, and the panels are backed by a **No Fade Promise\*** along with Mitten's limited lifetime warranty.

Available in Sentry's three popular profiles including a vertical Board & Batten panel, the four richly grained and inviting colours are easy to install, architecturally pleasing and sure to create instant curb appeal.


## RUSTIC Colours




Burnt Sienna



Farmhouse



Arctic Grey



Hemlock

**D4H** = Double 4" Horizontal

**B&B** = Board & Batten

**D4.5DL** = Double 4.5" Dutchlap

**D5S** = Double 5" Soffit

\*D5" (.040" thickness) for soffit application only

## Performance Features:



NO FADE PROMISE



PREMIUM .044" THICKNESS\*



HURRICANE FORCE WIND SPEED RATED



CONTOURED LOCK SYSTEM



ROLL-OVER NAIL HEM



LOW GLOSS TWO TONE FINISH



LIMITED LIFETIME WARRANTY




\*Product will not fade in excess of a Delta E of 1 Hunter unit outside the manufacturing tolerances in the first 5 years and a Delta E of 2 Hunter units outside the manufacturing tolerances after the first 5 years from the date of the original installation of the product on the property.

Due to the printing process colours may not be exactly as shown. Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.

# SENTRY Variegated Vinyl Series - Pictured below in Farmhouse



SENTRY Variegated Vinyl Series  
Pictured above in Farmhouse



## Double 4\"/>

Shown in Farmhouse

**Length/Pc:** 12'6" / 3.81m

**Width/Pc:** 8" / 20.32cm

**Panels/Ctn:** 24

**Coverage/Ctn:**

200 sq. ft. / 18.58 m<sup>2</sup>

**Nom. Thickness:**

.044" / 1.12 mm

**Windload Data:**

180 mph / 290 KM/h

## Double 4.5\"/>

Shown in Arctic Grey

**Length/Pc:** 12'1" / 3.68m

**Width/Pc:** 9" / 22.86cm

**Panels/Ctn:** 22

**Coverage/Ctn:**

200 sq. ft. 18.58 m<sup>2</sup>

**Nom. Thickness:**

.044" 1.12 mm

**Windload Data:**

180 mph 290 KM/h

## Double 5\"/>

Shown in Burnt Sienna

**Length/Pc:** 12' / 3.66m

**Width/Pc:** 10" / 25.4cm

**Panels/Ctn:** 20

**Coverage/Ctn:**

200 sq. ft. / 18.58 m<sup>2</sup>

**Nom. Thickness:**

.040" 1.02 mm

**Net Free Air Intake Per Foot:**

Perforated Full Vent 4.2 sq. in.

## Board & Batten

Shown in Hemlock

**Length/Pc:** 10' / 3.04m

**Width/Pc:** 7" / 17.78cm

**Panels/Ctn:** 17

**Coverage/Ctn:**

100 sq. ft. / 9.29 m<sup>2</sup>

**Nom. Thickness:**


.050" / 1.27 mm

**Windload Data:**


195 mph / 313KM/h




Burnt Sienna



Farmhouse



Arctic Grey




Hemlock

NEW  
FOR  
2022

## Available Trims & Accessories

- 5/8" J-Channel
- 1/2" J-Channel
- 1/2" F-Channel
- Finish Trim
- Inside Corner Post
- 10'-3" Outside Corner Post











COLOURMATCH

## MITTEN SENTRY®


















BUILDING PRODUCTS 44 SERIES VINYL SIDING

Our premium product line offers a .044" thick panel and a complete selection of Bold Premium & Natural Standard colour options. Profiles feature a cedar-grain texture in a low-gloss finish with a distinctive deep silhouette for rich shadow lines. Board & Batten profile is also available for vertical applications.

















### Performance Features:

-  COLOUR MATCHED ACCESSORIES
-  PREMIUM .044" THICKNESS
-  HURRICANE FORCE WIND SPEED RATED
-  CONTOURED LOCK SYSTEM
-  ROLL-OVER NAIL HEM
-  LOW GLOSS COLOUR-RICH FINISH
-  LIFETIME COLOUR FADE PROTECTION
-  LIMITED LIFETIME WARRANTY

### Bold Premium Colours:


 D4H D4.5DL B&B Huron Blue	 D4H D4.5DL B&B Yukon Grey	 D4H D4.5DL B&B Timber Bark				
 D4H D4.5DL B&B Lighthouse Red	 D4H D4.5DL B&B Sapphire Blue	 D4H D4.5DL B&B Regatta Blue	 D4H D4.5DL B&B Eggplant	 D4H D4.5DL B&B Annapolis Blue	 D4H D4.5DL B&B Aviator Green	 D4H D4.5DL B&B Richmond Red
 D4H D4.5DL B&B Gunmetal Grey	 D4H D4.5DL B&B Coffee Bean	 D4H D4.5DL B&B Grenadier Green	 D4H D4.5DL B&B Muskoka Green	 D4H D4.5DL B&B Khaki Brown	 D4H D4.5DL B&B Caribou Brown	 D4H D4.5DL B&B Rockaway Grey

### Natural Standard Colours:

 D4H D4.5DL B&B Frost	 D4H D4.5DL B&B Bone	 D4H D4.5DL B&B Ivory	 D4H D4.5DL B&B Cypress	 D4H D4.5DL B&B Stratus	 D4H D4.5DL B&B Flagstone	 D4H D4.5DL B&B Brownstone
 D4H D4.5DL B&B Hearthstone	 D4H D4.5DL B&B Sandalwood	 D4H D4.5DL B&B Ash	 D4H D4.5DL B&B Sandcastle	 D4H D4.5DL B&B Saffron	 D4H D4.5DL B&B Satin Grey	 D4H D4.5DL B&B Sage
 D4H D4.5DL B&B Nickel	 D4H D4.5DL B&B Indigo	<p><b>D4H</b> = Double 4" Horizontal  <b>D4.5DL</b> = Double 4.5" Dutchlap  <b>B&amp;B</b> = Board &amp; Batten</p>				

Due to the printing process colours may not be exactly as shown. Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.

*Pictured here in Regatta Blue, Saffron, Grenadier Green, Lighthouse Red & Eggplant*



**Board & Batten**

Shown in Yukon Grey

**Length/Pc:**  
10' 3.04m

**Width/Pc:**  
7" 17.78cm

**Panels/Ctn:**  
17

**Coverage/Ctn:**  
100 sq. ft. 9.29 m<sup>2</sup>

**Nom. Thickness:**  
Standard Colours  
.045" 1.14 mm

Premium Colours  
.050" 1.27 mm

**Windload Data:**  
195 mph 313KM/h



Rich cedar grain texture shown in Rockaway Grey

**Double 4.5" Dutchlap**

Shown in Grenadier Green

**Length/Pc:**  
12'1" 3.68m

**Width/Pc:**  
9" 22.86cm

**Panels/Ctn:**  
22

**Coverage/Ctn:**  
200 sq. ft. 18.58 m<sup>2</sup>

**Nom. Thickness:**  
.044" 1.12 mm

**Windload Data:**  
180 mph 290 KM/h

**Double 4" Horizontal**

Shown in Lighthouse Red

**Length/Pc:**  
12'6" 3.81m

**Width/Pc:**  
8" 20.32cm

**Panels/Ctn:**  
24


**Coverage/Ctn:**  
200 sq. ft. 18.58 m<sup>2</sup>

**Nom. Thickness:**  
.044" 1.12 mm

**Windload Data:**  
180 mph 290 KM/h

**Trims & Accessories:**

Sentry also has a variety of trims and accessories which can be found on page 12 - 14 of this catalogue.



COLOURMATCH

## MITTEN<sup>®</sup> BUILDING PRODUCTS

# HIGHLAND<sup>®</sup>

42 SERIES VINYL SIDING

Highland is our most complete product line offering a wide selection of six different .042" thick profiles and a variety of colours.

Attractive profiles feature a satin finish wood-grain texture and complement a variety of architectural styles.



Satin finish wood-grain texture shown in Nickel

### Performance Features:

-  COLOUR MATCHED ACCESSORIES
-  PREMIUM .042" THICKNESS
-  HURRICANE FORCE WIND SPEED RATED
-  CONTOURED LOCK SYSTEM
-  ROLL-OVER NAIL HEM
-  LOW GLOSS COLOUR-RICH FINISH
-  LIFETIME COLOUR FADE PROTECTION
-  LIMITED LIFETIME WARRANTY

### Bold Premium Colours:

D4H D4.5DL D5DL T3H  Khaki Brown	D4H D4.5DL D5DL T3H  Rockaway Grey	D4H D4.5DL D5DL T3H  Grenadier Green
---	---	---

### Trims & Accessories


Highland also has a variety of trims and accessories which can be found on page 12 - 14 of this catalogue.

### Natural Standard Colours:

D4H D4.5H D4.5DL D5H D5DL T3H  Frost	D4H D4.5H D4.5DL D5H D5DL T3H  Bone	D4H D4.5H D4.5DL D5H D5DL T3H  Ivory	D4H D4.5H D4.5DL D5H D5DL T3H  Cypress	D4H D4.5H D4.5DL D5H D5DL T3H  Stratus	D4H D4.5H D4.5DL D5H D5DL T3H  Flagstone	D4H D4.5H D4.5DL D5H D5DL T3H  Brownstone
D4H D4.5H D4.5DL D5H D5DL T3H  Hearthstone	D4H D4.5H D4.5DL D5H D5DL T3H  Sandalwood	D4H D4.5H D4.5DL D5H D5DL T3H  Ash	D4H D4.5H D4.5DL D5H D5DL T3H  Sandcastle	D4H D4.5H D4.5DL D5H D5DL T3H  Saffron	D4H D4.5H D4.5DL D5H D5DL T3H  Satin Grey	D4H D4.5H D4.5DL D5H D5DL T3H  Sage
D4H D4.5H D4.5DL D5H D5DL T3H  Nickel	D4H D4.5DL D5DL T3H  Indigo	<p><b>D4H</b> = Double 4" Horizontal  <b>D4.5DL</b> = Double 4.5" Dutchlap  <b>D4.5H</b> = Double 4.5" Horizontal  <b>D5DL</b> = Double 5" Dutchlap  <b>D5H</b> = Double 5" Horizontal  <b>T3H</b> = Triple 3" Horizontal</p>				

Due to the printing process colours may not be exactly as shown. Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.





**Triple Three**

Shown in Cypress

**Length/Pc :**  
12' / 3.66m  
**Width/Pc:**  
10" / 25.4cm  
**Panels/Ctn:**  
20  
**Coverage/Ctn:**  
200 sq. ft. / 18.58 m<sup>2</sup>  
**Nom. Thickness:**  
.040" / 1.02 mm  
**Windload Data:**  
155 mph / 249 KM/h

**Double 5" Horizontal**

Shown in Sandcastle

**Length/Pc :**  
12' / 3.66m  
**Width/Pc:**  
10" / 25.4cm  
**Panels/Ctn:**  
20  
**Coverage/Ctn:**  
200 sq. ft. / 18.58 m<sup>2</sup>  
**Nom. Thickness:**  
.042" / 1.07 mm  
**Windload Data:**  
160 mph / 257 KM/h

**Double 5" Dutchlap**

Shown in Ash

**Length/Pc :**  
12' / 3.66m  
**Width/Pc:**  
10" / 25.4cm  
**Panels/Ctn:**  
20  
**Coverage/Ctn:**  
200 sq. ft. / 18.58 m<sup>2</sup>  
**Nom. Thickness:**  
.042" / 1.07 mm  
**Windload Data:**  
160 mph / 257 KM/h

**Double 4.5" Horizontal**

Shown in Brownstone

**Length/Pc :**  
12'1" / 3.68cm  
**Width/Pc:**  
9" / 22.86cm  
**Panels/Ctn:**  
22  
**Coverage/Ctn:**  
200 sq. ft. / 18.58 m<sup>2</sup>  
**Nom. Thickness:**  
.042" / 1.07 mm  
**Windload Data:**  
160 mph / 257 KM/h

**Double 4.5" Dutchlap**


Shown in Nickel

**Length/Pc :**  
12'1" / 3.68cm  
**Width/Pc:**  
9" / 22.86cm  
**Panels/Ctn:**  
22  
**Coverage/Ctn:**  
200 sq. ft. / 18.58 m<sup>2</sup>  
**Nom. Thickness:**  
.042" / 1.07 mm  
**Windload Data:**  
160 mph / 257 KM/h

**Double 4" Horizontal**

Shown in Khaki Brown

**Length/Pc :**  
12'6" / 3.81m  
**Width/Pc:**  
8" / 20.32cm  
**Panels/Ctn:**  
24  
**Coverage/Ctn:**  
200 sq. ft. / 18.58 m<sup>2</sup>  
**Nom. Thickness:**  
.042" / 1.07 mm  
**Windload Data:**  
160 mph / 257 KM/h



COLOURMATCH

**MITTEN**  
BUILDING PRODUCTS




**OREGONPRIDE**<sup>®</sup>  
40 SERIES VINYL SIDING

Our traditional product line, offering a wide selection of profiles in classic .040" thick panels. Profiles feature a subtle wood-grain appearance.



Subtle painted cedar texture shown in Brownstone

## Performance Features:

-  COLOUR MATCHED ACCESSORIES
-  .040" THICK CLASSIC .040" THICKNESS
-  HURRICANE FORCE WIND SPEED RATED
-  CONTOURED LOCK SYSTEM
-  ROLL-OVER NAIL HEM
-  LOW GLOSS COLOUR-RICH FINISH
-  LIFETIME COLOUR FADE PROTECTION
-  LIMITED LIFETIME WARRANTY


## Trims & Accessories

Oregon Pride also has a variety of trims and accessories which can be found on page 12 - 14 of this catalogue.

## Natural Standard Colours:

D4H D4DL D4.5DL D5V  Frost	D4H D4DL D4.5DL D5V  Bone	D4H D4DL D4.5DL D5V  Ivory	D4H D4DL D4.5DL D5V  Cypress	D4H D4DL D4.5DL D5V  Stratus	D4H D4DL D4.5DL D5V  Flagstone	D4H D4DL D4.5DL D5V  Brownstone
D4H D4DL D4.5DL D5V  Hearthstone	D4H D4DL D4.5DL D5V  Sandalwood	D4H D4.5DL D5V  Ash	D4H D4.5DL D5V  Sandcastle	D4H D4.5DL D5V  Saffron	D4H D4.5DL D5V  Satin Grey	D4H D4.5DL D5V  Sage
D4H D4DL D4.5DL D5V  Nickel	D4H D4.5DL D5V  Indigo	<p><b>D4H</b> = Double 4" Horizontal  <b>D4DL</b> = Double 4" Dutchlap  <b>D4.5DL</b> = Double 4.5" Dutchlap  <b>D5V</b> = Double 5" Vertical</p>				

Due to the printing process colours may not be exactly as shown. Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.



**Double 4.5"  
Dutchlap**

Shown in Flagstone

**Length/Pc:**

12'1" 3.68m

**Width/Pc:**

9" 22.86cm

**Panels/Ctn:**

22

**Coverage/Ctn:**

200 sq. ft. 18.58 m<sup>2</sup>

**Nom. Thickness:**

.040" 1.02 mm

**Windload Data:**

140 mph 225 KM/h

**Double 4"  
Dutchlap**

Shown in Brownstone

**Length/Pc:**

12'6" 3.81m

**Width/Pc:**

8" 20.32cm

**Panels/Ctn:**

24

**Coverage/Ctn:**

200 sq. ft. 18.58 m<sup>2</sup>

**Nom. Thickness:**

.040" 1.02 mm

**Windload Data:**

140 mph 225 KM/h

**Double 4"  
Horizontal**

Shown in Indigo

**Length/Pc:**

12'6" 3.81m

**Width/Pc:**

8" 20.32cm

**Panels/Ctn:**

24

**Coverage/Ctn:**

200 sq. ft. 18.58 m<sup>2</sup>

**Nom. Thickness:**

.040" 1.02 mm

**Windload Data:**

140 mph 225 KM/h

**Double 5"  
Vertical**

Shown in Frost

**Length/Pc:**

12' 3.66m

**Width/Pc:**

10" 25.4cm

**Panels/Ctn:**

20

**Coverage/Ctn:**

200 sq. ft. 18.58 m<sup>2</sup>

**Nom. Thickness:**

.040" 1.02 mm

**Windload Data:**


NA

# SIDING

## VINYL SIDING TRIMS & ACCESSORIES





COLOURMATCH



### 1/2" J-CHANNEL - 1" FACE

Used for trimming around windows & doors, and at the roof line to hide ends of siding panels and create a finished look. Used with all soffit applications.


Length/Piece: 12' / 3.66 m  
Pieces/Carton: 50 / 50  
Coverage/Carton: 600 LF / 182.88 m



### STARTER STRIP

Used in every installation at the bottom of the wall to install the first row of siding.  
INSTALLATION NOTE:  
Starter strip must be level!


Length/Piece: 12' / 3.66 m  
Pieces/Carton: 40 / 40  
Coverage/Carton: 480 LF / 146.30 m



### 7/8" J-CHANNEL - 1" FACE

Used for trimming around windows & doors, and at the roof line to hide ends of siding panels and create a finished look. Used with shake and shingle applications.


Length/Piece: 12' / 3.66 m  
Pieces/Carton: 40 / 40  
Coverage/Carton: 480 LF / 146.30 m



### GALVANIZED STARTER STRIP

Used in every installation at the bottom of the wall to install the first row of siding.  
INSTALLATION NOTE:  
Starter strip must be level!


Length/Piece: 9'-10" / 2.99 m  
Pieces/Carton: 20 / 20  
Coverage/Carton: 196 LF / 59.94 m



### 1/2" F-CHANNEL

Used for soffit applications, installation starting point at the wall.



Length/Piece: 12' / 3.66 m  
Pieces/Carton: 30 / 30  
Coverage/Carton: 360 LF / 109.73 m



### 5/8" J-CHANNEL - 1" FACE

Used for trimming around windows & doors, and at the roof line to hide ends of siding panels and create a finished look. Used with all standard siding applications.


Length/Piece: 12' / 3.66 m  
Pieces/Carton: 40 / 40  
Coverage/Carton: 480 LF / 146.30 m



### FINISH TRIM

Used above and below windows & doors and at the top of siding wall at soffit levels for decorative finish.


Length/Piece: 12' / 3.66 m  
Pieces/Carton: 40 / 40  
Coverage/Carton: 480 LF / 146.30 m



## H-TRIM

Double channel trim that provides a transition between horizontal and vertical siding.


Length/Piece: 12' / 3.66 m  
 Pieces/Carton: 12 / 12  
 Coverage/Carton: 144 LF / 36.58 m



## RECESSED WINDOW & DOOR TRIM

Used as a return around windows & doors.


Length/Piece: 12' / 3.66 m  
 Pieces/Carton: 16 / 16  
 Coverage/Carton: 192 LF / 58.52 m



## BELT LINE

Same function as the H-Trim, to provide a transition between horizontal and vertical siding. Can also be used as a Starter Strip for horizontal to vertical siding applications.


Length/Piece: 12' / 3.66 m  
 Pieces/Carton: 40 / 40  
 Coverage/Carton: 480 LF / 146.30 m



## 3-1/2" WINDOW & DOOR TRIM

Used around windows & doors for a decorative finish.


Length/Piece: 12' / 3.66 m  
 Pieces/Carton: 10 / 10  
 Coverage/Carton: 120 LF / 36.58 m



## DRIP CAP

Used above windows & doors to channel water away from the wall.


Length/Piece: 12' / 3.66 m  
 Pieces/Carton: 40 / 40  
 Coverage/Carton: 480 LF / 146.30 m



## FASCIA

Used to provide a decorative finish over the roof rafters.


Length/Piece: 12' / 3.66 m  
 Pieces/Carton: 10 / 10  
 Coverage/Carton: 120 LF / 36.58 m



## WINDOW CASING TRIM

Decorative accent for windows.

Length/Piece: 12' / 3.66 m  
 Pieces/Carton: 10 / 10  
 Coverage/Carton: 120 LF / 36.58 m



## FASCIA-J


Used to provide a decorative finish over the roof rafters complete with J-Channel for soffit starting point.

Length/Piece: 12' / 3.66 m  
 Pieces/Carton: 20 / 20  
 Coverage/Carton: 240 LF / 73.15 m

## VINYL SIDING TRIMS & ACCESSORIES





COLOURMATCH



### INSIDE CORNER POST

Used to join siding panels at the inside corner of the wall.



Length/Piece: 10' / 3.05 m  
Pieces/Carton: 20 / 20  
Coverage/Carton: 200 LF / 60.96 m



### TRADITIONAL 5-1/2" OUTSIDE CORNER POST - 20'

Wider & longer corner application to provide a finished look at the corners of the wall.



Length/Piece: 20' / 6.096 m  
Pieces/Carton: 5 / 5  
Coverage/Carton: 100 LF / 30.48 m



### 3" OUTSIDE CORNER POST - 10'

Used to cover corner end of the wall and to provide a finished look.



Length/Piece: 10' / 3.05 m  
Pieces/Carton: 12 / 12  
Coverage/Carton: 120 LF / 36.58 m



### FLUTED 5-1/2" OUTSIDE CORNER POST - 20'

Wider & Longer corner application to provide a finished look at the corners of the wall.

Length/Piece: 20' / 6.096 m  
Pieces/Carton: 5 / 5  
Coverage/Carton: 100 LF / 30.48 m



### 3" OUTSIDE CORNER POST - 12'

Used to cover corner end of the wall and to provide a finished look.  
12' application for longer corners.

Length/Piece: 12' / 3.66 m  
Pieces/Carton: 12 / 12  
Coverage/Carton: 144 LF / 43.89 m

## MITTEN

**Vinyl Trims & Accessories are  
colour matched to Mitten Vinyl Siding!**

Please refer to the Vinyl Colour Matrix found on pages 40 & 41  
for full product offering

## 5 Reasons Vinyl Siding Remains the Top Home Exterior Design Choice

**Did you know?** Vinyl siding is the primary cladding material on nearly one third of all new homes built.<sup>1</sup>

### 1 Boosts Curb Appeal



**THE COLOURS** of Mitten Siding & Accessories are certified through the Vinyl Siding Institute (VSI) Product Certification Program for colour retention.

Its unmatched selection of profiles, shapes, textures and colours makes vinyl siding ideal for any home renovation.

**Those who re-sided their homes with vinyl siding recouped more than 74% of that cost when selling.<sup>2</sup>**

### 2 Weather Resistant

**MITTEN SIDING & ACCESSORIES** is weather resistant, fade resistant and insect resistant.<sup>3</sup>



NEVER ABSORBS WATER



FADE RESISTANT



INSECT RESISTANT



### 3 Never Requires Painting

**MITTEN SIDING & ACCESSORIES** are third-party tested and certified for quality and colour retention. The colour is inside the product, not on top of the surface. It does not crack, peel or fade.


**Vinyl siding requires no painting or caulking, just simple cleaning with a garden hose.**



### 4 High Performance



VIRTUALLY INDESTRUCTIBLE



RESISTS WIND SPEEDS UP TO 195 MPH/313KPH.

### 5 Peace of Mind




**MITTEN SIDING & ACCESSORIES** are backed by industry-leading warranties that last the lifetime of a home and transfer to the next owner.



LIMITED LIFETIME WARRANTY

**MITTEN**  
BUILDING PRODUCTS

1. Canadian Consumer Practices Report - 2017, Home Innovations Research Center.
2. 2020 Cost vs. Value Report, *Remodeling Magazine*.
3. Vinyl siding is not a weather resistive barrier and must be installed according to installation instructions.




COLOURMATCH

## MITTEN VINYL SOFFIT

SIDING & ACCESSORIES

### Equinox T3-1/3" Soffit

Premium 10" wide heavy duty soffit engineered to perform. Panels provide a smooth, flat surface and offers the perfect balance of aesthetics and performance.




**Features:**

- Triple 3-1/3" profile (10" wide)
  - Premium .045" thickness for extra rigidity
  - Deep 1/2" panel projection for sharp definition
  - Solid or Hidden Vent
  - A Hidden Vent system gives your home a clean and stylish look plus superior ventilation performance
- Length/Pc:** 12' (3.66m)    **Width/Pc:** 10" (25.4cm)  
**Panels/Ctn:** 20    **Coverage/Ctn:** 200 sq. ft. (18.58 m<sup>2</sup>)  
**Net Free Air Intake Per Foot:** Vented 8.4 sq. in.

### Triple 4" Soffit

U groove designed for greater rigidity, delivering outstanding performance, quality and durability.




**Features:**

- Triple 4" profile (12" wide)
  - .040" thickness
  - Solid, Lanced or Perforated
- Length/Pc:** 12' (3.66m)    **Width/Pc:** 12" (30.48cm)  
**Panels/Ctn:** 16    **Coverage/Ctn:** 192 sq. ft. (17.84 m<sup>2</sup>)  
**Net Free Air Intake Per Foot:**  
**Lanced:** CV 2.4 sq. in.    FV 7.2 sq. in.  
**Perforated:** CV 1.96 sq. in.    FV 5.89 sq. in.

### Double 5" Soffit

Combines U groove design and attractive appearance with the rigidity and durability of premium vinyl.



**Features:**


- Double 5" profile (10" wide)
  - .040" thickness
  - Solid or Perforated
  - Non-ventilated panels may also be used as vertical siding accent
- Length/Pc:** 12' (3.66m)  
**Width/Pc:** 10" (25.4cm)    **Panels/Ctn:** 20  
**Coverage/Ctn:** 200 sq. ft. (18.58 m<sup>2</sup>)  
**Net Free Air Intake Per Foot:**  
**Perforated Full Vent** 4.2 sq. in.

### Rustic Colours:



NEW FOR 2022

### Natural Standard Colours:



ET3-1/3" = Equinox T3.5" Soffit  
 D5" = Double 5" Soffit  
 B7" = 7" Beaded Soffit  
 T4" = Triple 4" Soffit  
 JF8" = Jamb-Fit™ 8" Soffit  
 JF16" = Jamb-Fit™ 16" Soffit

\* For Soffit applications only.

Due to the printing process colours may not be exactly as shown. Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.



Vinyl Soffit provides essential ventilation and air movement through the roof structure, eliminating moisture that can cause rotting and decay. It will not rot, peel, chip, flake or blister and vinyl never needs to be painted. All Mitten Vinyl Soffit products feature a Limited Lifetime Warranty.

**7" Beaded Soffit**

7" wide panel ideal for porch ceilings or to cover up larger areas, adding character and a traditional finishing touch.




**Features**

- Single 7" wide profile
  - .040" thickness
  - Solid or Hidden Vent
  - A hidden vent system gives your home a clean and stylish look plus superior ventilation performance
- Length/Pc:** 12' (3.66m)  
**Width/Pc:** 7" (17.8cm)    **Panels/Ctn:** 28  
**Coverage/Ctn:** 2 sq/box  
**Net Free Air Intake Per Foot:** Vented 2.66 sq. in.

**Jamb-Fit™ 8" Soffit**

A durable soffit with an easy to install slide lock.



**Features:**

- Double 4" profile (8" wide)
  - .040" thickness
  - Solid or Vented
- Length/Pc:** 12' (3.66m)  
**Width/Pc:** 8" (20.32cm)  
**Panels/Ctn:** 24  
**Coverage/Ctn:** 2 sq/box  
**Net Free Air Intake Per Foot:** 3.14

**Jamb-Fit™ 16" Soffit**

A wider soffit panel providing easy transition from eaves to wider overhangs, complete with an easy to install slide lock.



**Features:**

- Quad 4" profile (16" wide)
  - .040" thickness
  - Solid or Vented
- Length/Pc:** 12' (3.66m)  
**Width/Pc:** 16" (40.64cm)    **Panels/Ctn:** 12  
**Coverage/Ctn:** 2 sq/box  
**Net Free Air Intake Per Foot:** 6.26

**MITTEN** PLEASANTVIEW  
 BUILDING PRODUCTS SKIRTING

- Skirting secures to the perimeter of any mobile home, cottage, deck or foundation
- Vinyl skirting will not rot, peel, flake or blister. No need to paint - ever
- Ventilated panels encourage air flow and reduce moisture build-up and musty odours
- Front rail pops up so skirting can be easily removed to access storage areas
- Available in Frost to complement any application
- A great alternative to wooden lattice as it won't attract termites

	TRIPLE 4" SKIRTING		FRONT/BACK BOTTOM RAIL	
<b>Length/Pc</b>	12'	3.66 m	12'	3.66 m
<b>Width/Pc</b>	12"	30.48 cm	--	--
<b>Panels/Ctn</b>	16	16	16	16
<b>Coverage/Ctn</b>	192 sq. ft.	17.84 m <sup>2</sup>	192 LF	58.52 m <sup>2</sup>

**Note:** Vented Skirting has 14 pcs/ctn. covering 168 sq. ft./15.6 m<sup>2</sup>





The reliability of prefinished steel with the timeless beauty of wood

**CCMC #14137-L Compliant**

- LUX Panel is available in any custom length from 4' to 24'
- No minimum order required
- Premium Kynar finish - durable and long lasting
- Full line of standard & custom flashings available
- Non-combustible
- 25-Year finish warranty
- Optional venting
- Impenetrable to insects
- Water resistant
- Manufactured in Canada
- LUX passes the CAN/ULC S102-10 with a ZERO Flame Spread rating!
- LUX passes ASTM B117 Salt Spray Test
- LUX meets and conforms to CGSB-93.4-92 as per Standards Council of Canada, National Research Council Canada, National Building Code of Canada
- LUX passed the National Research Council of Canada Wind Load Test

## LUX COLOURS

	<b>C B RP</b> CEDAR	<b>C B RP</b> CLASSIC CHERRY	<b>C B RP</b> WALNUT	<b>C B RP</b> KONA	<b>C B RP</b> SUEDE
<b>C B RP</b> WHITE OAK	<b>C B RP</b> FIR	<b>C RP</b> LIGHT ASH	<b>C RP</b> PECAN	<b>C RP</b> CYPRESS	<b>C RP</b> DARK ASH
<b>C RP</b> TIGERWOOD	<b>C RP</b> DRIFTWOOD	<b>C RP</b> WILLOW	<b>C RP</b> TEXTURED BLACK ONYX	<b>C RP</b> TEXTURED COFFEE	<b>C RP</b> TEXTURED ROSEWOOD
<b>C RP</b> AURORA	<b>C RP</b> NOVA	<b>C RP</b> STARLIGHT	<b>C RP</b> CHAMPAGNE WAVE	<b>C RP</b> COPPER WAVE	<b>C RP</b> SILVER WAVE
<b>C RP</b> BRUSHED CARBON	<b>C RP</b> BRUSHED GRAPHITE	<b>C RP</b> AGED COPPER	<b>C RP</b> CHAMPAGNE METALIC	<b>C RP</b> COPPER PENNY	<b>C RP</b> COSMIC
<b>C RP</b> WEATHERED ZINC	<b>C RP</b> DARK ZINC	<b>C RP</b> SILVER METALIC	<b>B RP</b> KNOTTY CHESTNUT	<b>B RP</b> KNOTTY DESERT OAK	<b>B RP</b> KNOTTY EBONY
<b>B RP</b> KNOTTY REDWOOD	<b>B RP</b> KNOTTY TEAK	<b>C</b> = Custom Length Program <b>B</b> = 12' LUXLAP Box Program <b>RP</b> = Random Plank, Privacy Fence & Folded Wall Program			

**SMOOTH V-GROOVE PANELS**

4" V-Groove



6" V-Groove



**SOFFIT PANELS**

4" & 6"  
V-Groove  
Vented Soffit



Double 7



Double 7 Vented




**THE LUX  
RANDOM  
PLANK**

The Random Plank wall cladding is a product of meticulous craftsmanship that joins together easily to form a sophisticated architectural panel.

The Random Plank can be created in any of the LUX colours. This product has been immensely successful in finding its place on contemporary residential, multi-unit residential and even as an indoor fireplace surround.

**LUXLAP**

The LUXLAP Panel is sold by the box, and it's available in 7 woodgrain and 5 knotty woodgrain colours in 4" and 6" V-Groove profiles. The 4" profile contains ten 12' long panels covering 40sq. ft. and the 6" profiles contains eight 12' long panels covering 48sq. ft. LUXLAP fits perfectly into the next panel meaning that it can be installed without interruption by a joiner trim or unsightly butt joint. Unlike other metal cladding systems, LUXLAP's interlocking design and 24 gauge steel gives you superior rigidity and hidden seams at infinite lengths.





## Exceptional Beauty, Unbeatable Strength

- Available in five different profiles: D4, D5, DL5, S8 and B&B
- 20 colours
- Matching Trims & Accessories
- Limited Lifetime Warranty on defects plus 50-year hail and 25-year chalk/fade

## Premier Performance

### FADE, FIRE AND IMPACT RESISTANT

- Exceptional colour retention
- Class A/Class 1 fire rating
- Tough against bumps and dents

### IDEAL IN EXTREME WEATHER CONDITIONS

- Protected from harsh weather elements like hail or wind
- Does not absorb water like other cladding options
- Withstands extreme temperature changes

### SUSTAINABLE STEEL

- We value the environment and strive to minimize our footprint
- Steel is 100% recyclable
- Made from approximately 50% recycled materials

### BACKED BY AN INDUSTRY LEADING WARRANTY

- Instills peace of mind
- Limited Lifetime Warranty including 50-year hail and 35-year chalk and fade



*Steel is a low maintenance, stylish and durable choice!*

D4H D5H D5DL S8H B&B White	D4H D5H D5DL S8H B&B Natural Slate	D4H D5H D5DL S8H B&B Charcoal Grey	D4H D5H D5DL S8H B&B Deep Granite	D4H D5H D5DL S8H B&B Quiet Willow	D4H D5H D5DL S8H B&B Musket Brown	D4H D5H D5DL S8H B&B Terra Bronze
D4H D5H D5DL S8H B&B Brandy Wood	D4H D5H D5DL S8H B&B Montana Suede	D4H D5H D5DL S8H B&B Pebblestone Clay	D4H D5H D5DL S8H B&B Rugged Canyon	D4H D5H D5DL S8H B&B Mahogany	D4H D5H D5DL S8H B&B Red Brick	D4H D5H D5DL S8H B&B Newport Bay
D4H D5H D5DL S8H B&B Dark Bronze	D4H D5H D5DL S8H B&B Jefferson Tan	D4H D5H D5DL S8H B&B Wicker	D4H D5H D5DL S8H B&B Almond	D4H D5H D5DL S8H B&B Cameo	D4H D5H D5DL S8H B&B Desert Sand	

**D4H** = Double 4" Horizontal  
**D5DL** = Double 5" Dutchlap  
**B&B** = Board & Batten

**D5H** = Double 5" Horizontal  
**S8H** = Single 8" Horizontal

Due to the printing process colours may not be exactly as shown. Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.

# CERTIFICATE OF CONFORMANCE / WARRANTY

PRODUCT PHYSICALS			
TEST	STANDARD METHOD	UNITS OF MEASURE	RESULT
IZOD Impact (0°C/32°F)	ASTM D-256	ft/lb/in.	3.53
IZOD Impact (23°C/73°F)	ASTM D-256	ft/lb/in.	33.9
Tensile Strength	ASTM D-638	PSI	8200
Modulus of elasticity	ASTM D-638	PSI	370000
Deflection of temperature under load @ 264 PSI	ASTM D-648	°F	163
Coefficient of linear expansion	ASTM D-696	x10 <sup>5</sup> in./in./°F	4.3
Chemical Resistance	ASTM D-543		excellent
Cell classification	ASTM D-1784	class#	13544-B
FIRE RELATED PROPERTIES - PVC			
Flame spread index	ASTM E-84, UBC 42-1		18
Fuel contribution			0
Self ignition temperature, °F	ASTM D-1929, UBC 52-3		810
Smoke density rating (%)	ASTM D-2843, UBC 52-2		42.1
Maximum smoke density (%)			56.0
Visibility of exit sign			Good
Total burn time, seconds	ASTM D-635		<5
Extent of burning, mm			<5
SIDING/EXTRUDATE TYPICAL PHYSICAL PROPERTIES			
Impact Resistance (23°C/73°F)	ASTM D-4226	in-lb	>80
Low Temperature flexibility	CGSB41-GP-24Ma	% pass	>80
Shrinkage/reversion	ASTM D-1042	%	<3.0
Surface Distortion	CGSB41-GP-24Ma ASTM D-3679-02	°F	>131

CODES/STANDARDS - Mitten Vinyl Siding conforms and/or surpasses certification standards in many countries.

#### CANADA

CAN/CGSB-41.24.95  
CCMC Acceptance No. 06419L

#### UNITED STATES OF AMERICA

ASTM 3679  
UBC Standard 14-2  
NES NER 528

#### AUSTRALIA

AS/NZ S4256 Type B

#### EUROPE

CE Certification

#### Warranty:

All Mitten Vinyl products are covered by a Lifetime Limited Warranty. See warranty or visit [mittensiding.com](http://mittensiding.com) for details and limitations.

**NES Certification:** Mitten has received confirmation by the National Evaluation Service, Inc. (NES) at [nateval.org](http://nateval.org) that its vinyl siding products comply with the exterior wall covering and wind resistance provisions of the three U.S. model building codes (BOCA National, ICBO Uniform and SBCCI Standard) in addition to the new 2000 International Building Code of the International Code Council. This confirmation, as evidenced in the NES evaluation report (NER-528), provides guidance to code officials faced with approving the use of Mitten vinyl siding under these codes.

#### VSI online at [vinylsiding.org](http://vinylsiding.org)

Vinyl Siding Institute provides assurance to homeowners, remodelers, contractors, planners, code officials and architects regarding the quality of the vinyl siding they select and use. Vinyl siding, certified under the VSI Vinyl Siding Certification Program, has been independently verified by a third-party laboratory to meet or exceed ASTM D3679, the long-standing industry-wide standard for quality vinyl siding.

#### VSI Certified Siding Installer Program

VSI Certified Installer Program provides training and certification for vinyl siding installers and companies. For more information please visit [vinylsiding.org](http://vinylsiding.org).


# ALUMINUM

## M SERIES ALUMINUM

M SERIES ALUMINUM products make it easy to dress up any home or light commercial building. Each product in the collection - Soffit, Fascia, Accessories, Trim Coil - will look and perform beautifully for years to come. Aluminum Soffit and Accessories offer an assortment of styles as well as a selection of colours designed to match or complement Mitten vinyl siding.




### AVAILABLE COLOURS



Black




White




Bone



Brownstone



Dark Bronze



Hearthstone



Iron Ore



Musket Brown



Rockaway Grey



Slate



Stratus



Terratone



\*Flagstone

\* Eastern  
Canada only

# ALUMINUM

## SOFFIT & FASCIA

### A COMPLEMENTARY FINISH

M-Series Soffit & Fascia features a durable, virtually maintenance-free finish and are easy to install. Venting options in soffit help create positive air flow in the attic and rafters to help prevent moisture buildup and add a lasting finishing touch to your soffit application with M-Series Aluminum Fascia.



## AVAILABLE PRODUCTS

### TRIM COIL

Cuts Clean, Bends Sharp, Lays Flat.

M-Series trim coil meets or exceeds aluminum specifications for grade, hardness, temper (flexibility) and gauge (thickness).


- 24" x 98' (60cm x 30m)  
Heavy Trim Coil  
1 side painted
- 24" x 98' (60cm x 30m)  
Heavy Trim Coil  
2 sides painted

Available in all M-Series colours



### QUAD 4 SOFFIT

- Available in Solid and Full Vent profiles
- Full Vent offers 10.39 sq./in per lin/ft of net free air space



### FASCIA


- Available in 6", 8"†, 8-1/2"\* and 10" widths

- † Eastern Canada Only
- \* Western Canada Only




## ACCESSORIES

M-SERIES offers a complete line of accessories that work in harmony with each product in our aluminum program. Our J-channels and Drip Edge blend into the overall look and feel of your home.



J-Channel



Drip Edge

## RAINWARE



## A Beautifully Defensive Solution

M-SERIES rainware products systematically provide years of lasting protection.

You will find a complete line of quality gutter coil, downpipe and elbows to whisk away water.



Gutter Coil



Downpipe




Elbows



double **pro**®

t**rex**®

gutter**clean**®



<b>FOR NEW RAIN GUTTERS IN DEBRIS AREA</b>	✓		
<b>FOR NEW RAIN GUTTERS IN TREELESS AREA</b>		✓	
<b>INSTALLS OVER EXISTING RAIN GUTTERS</b>			✓
Strengthens gutters to support 250 lb per linear foot	✓	✓	
Fastens gutters to the house	✓	✓	
Replaces spikes and hangers	✓	✓	
Protects gutters from pine needles	✓		
Protects gutters from leaves and debris	✓	✓	✓
Can handle 29.7" (754 mm) of water per hour	✓	✓	✓
Reduces problems with ice and snow	✓	✓	✓
Warranty on material	<b>LIFETIME</b>	<b>LIFETIME</b>	<b>40 YEARS</b>
Warranty on sturdiness	<b>LIFETIME</b>	<b>LIFETIME</b>	
Clog-free warranty against leaves	<b>LIFETIME</b>	<b>40 YEARS PRORATED</b>	<b>40 YEARS PRORATED</b>
Clog-free warranty against pine needles	<b>LIFETIME</b>		



double **pro**®  
MICROFILTRATION CONTINUOUS HANGER™




### eclipse™ TECHNOLOGY

The double membrane keeps debris from getting inside the gutter. The offset holes make it the perfect filter, allowing water to drain freely while blocking pine needles and leaves without ever getting clogged.



### vortex™ TECHNOLOGY

The suction created by the two membranes makes it possible to drain three times more water than ever recorded in the heaviest storms. The inner membrane draws water through the wider holes.



**WATCH THE VIDEO**





# SHAKE & STONE



COLOURMATCH

**MITTEN**  
BUILDING PRODUCTS

## MITTEN COLOUR MATCHED 8' Shake



### ROUGH SAWN 8' SHAKE

Shown in Yukon Grey

**Length/Pc:** 96.5" - 245.11 cm    **Width/Pc:** 8.5" - 21.59 cm  
**Panels/Ctn:** 22    **Coverage/Ctn:** Approx. 1 square

Exclusive National Distributor

A low maintenance alternative to cedar shakes, at a fraction of the cost, with high attachment to vinyl siding

- Mix & Match with Mitten vinyl siding
- Naturally textured surfaces
- Staggered butt ends for realistic look
- Resists the effects of sun, heat and cold
- 25 of the most popular Mitten colours
- Corners & Half-Rounds also available



**NovikShake NP**  
Shown in Rockaway Grey

## **NOVIK**<sup>®</sup> NovikShake NP SHAKES, STONE AND ACCENTS Northern Perfection


For the look of real cedar... with no upkeep!

- Mix & match with Mitten vinyl siding
- Realistic wood grain texture
- Complements all types of siding
- Impervious to moisture, will not rot, split or decay
- Lightweight yet rigid material
- Quick & easy to install
- Corners also available in matching colours
- Virtually maintenance free
- Certification: CCMC 13420-R

### Northern Perfection Colours:



**Length/Pc:**  
46.88" (119.06cm)  
**Width/Pc:**  
16.5" (41.91cm)  
**Panels/Ctn:** 11  
**Coverage/Ctn:**  
48.84 sq. ft. (4.54 m<sup>2</sup>)



Due to the printing process colours may not be exactly as shown. Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.



SHAKES, STONE AND ACCENTS

NovikShake™ is a low maintenance alternative to cedar shakes, at a fraction of the cost

### NovikShake RS8

ROUGH SAWN 8' SHAKE  
Shown in Mitten Nickel



**Length/Pc:** 96.5" (245.11 cm)  
**Width/Pc:** 8.5" (21.59 cm)  
**Panels/Ctn:** 22    **Coverage/Ctn:** Approx. 1 square

### NovikShake HS

HAND-SPLIT SHAKE  
Shown in Novik Brownstone



**Length/Pc:** 48.38" (122.87 cm)  
**Width/Pc:** 18.75" (47.63 cm)  
**Panels/Ctn:** 9    **Coverage/Ctn:** Approx. 1/2 square

### NovikShake RS

ROUGH SAWN SHAKE  
Shown in Novik Windsor Blue



**Length/Pc:** 48.75" (123.83 cm)  
**Width/Pc:** 14.5" (36.83 cm)  
**Panels/Ctn:** 12    **Coverage/Ctn:** Approx. 1/2 square

### NovikShake HR

HALF-ROUND  
Shown in Mitten Brownstone



**Length/Pc:** 32" (81.3 cm)  
**Width/Pc:** 10" (25.4 cm)  
**Panels/Ctn:** 22    **Coverage/Ctn:** Approx. 1/3 square

- Made in Canada
- Exclusive National Distributor
- Accessories available in matching colours
- Seamless joints
- No painting, staining or caulking required
- Lightweight yet rigid material
- Fast fit™ features that simplify installation
- Impervious to moisture, can be installed right up to the roof line
- Hail resistant
- Resistant to warping, expansion, contraction and cracking
- Meets all major code requirements (ICC-ES, FBC, CCMC)
- Lifetime limited warranty



SHAKES, STONE AND ACCENTS

NovikStone™ products bring the timeless beauty of masonry, from rustic charm to modern appeal while adding performance and durability that is simply unmatched

### NovikStone DS

CARRARA COLLECTION - Shown in Grigio



**Length/Pc:** 41.5" (105.41 cm)  
**Width/Pc:** 13.13" (33.34 cm)  
**Panels/Ctn:** 10    **Coverage/Ctn:** Approx. 1/4 square

### NovikStone

ARTISAN CUT - Shown in Castle



**Length/Pc:** 45" (114.3 cm)  
**Width/Pc:** 20.25" (51.44 cm)  
**Panels/Ctn:** 10    **Coverage/Ctn:** Approx. 1/2 square

### NovikStone DS

DRY STACK STONE - Shown in Anthracite



**Length/Pc:** 41.5" (105.41 cm)  
**Width/Pc:** 13.13" (33.34 cm)  
**Panels/Ctn:** 10    **Coverage/Ctn:** Approx. 1/4 square

### NovikStone SK

STACKED STONE - Shown in Smoke Gray



**Length/Pc:** 45" (114.3 cm)  
**Width/Pc:** 20.25" (51.44 cm)  
**Panels/Ctn:** 10    **Coverage/Ctn:** Approx. 1/2 square

### NovikStone PHC

PREMIUM HAND-CUT STONE  
Shown in Misty Beige



**Length/Pc:** 48" (121.92 cm)  
**Width/Pc:** 18.5" (47 cm)  
**Panels/Ctn:** 9    **Coverage/Ctn:** Approx. 1/2 square






### NovikStone FS

FIELDSTONE  
Shown in Rocky Mountain









**Length/Pc:** 50" (127cm)  
**Width/Pc:** 19.13" (48.58 cm)  
**Panels/Ctn:** 10    **Coverage/Ctn:** Approx. 1/2 square







## NovikShake™ Colour Chart

Stain Natural Colour Collection							
Colour Chips	#	Colour	RS8	RS	HS	HR	Novik Trim
	301	Oak	•				Mountain Cedar #651
	303	Walnut	•				Brown #667
	304	Teak	•				Red Amber #652
	305	Ebony	•				Burnished Slate #682
	306	Sequoia	•				Barb Red # 198























Blended Colour Collection							
Colour Chips	#	Colour	RS8	RS	HS	HR	Novik Trim
	201	Weathered Blend	•	•	•		Weathered Blend #201
	202	Cedar Blend	•	•	•		Cedar Blend #202
	208	Canyon Blend	•	•	•		Canyon Blend #208
	229	Basalt	•	•	•		Canyon Blend #208
	231	Brownstone	•	•	•		Cedar Blend #202
	233	Anthracite	•	•	•		Onyx #223

Solid Colour Collection							
Colour Chips	#	Colour	RS8	RS	HS	HR	Novik Trim
	001	White	•	•	•	•	White #001
	063	Heritage Gray	•	•	•	•	Heritage Gray #063
	064	Sandstone	•	•	•	•	Sandstone #064
	486	Windsor Blue	•	•	•	•	Windsor Blue #486
	487	Brunswick Green	•	•	•	•	Brunswick Green #487
	485	Coventry Gray	•	•	•	•	Coventry Gray #485

**NovikShake Legend**  
**RS8** - Rough Sawn 8' Shake  
**RS** - Rough Sawn Shake  
**HS** - Hand Split Shake  
**HR** - Half Round

## NovikStone™ Colour Chart

Colour Chips	#	Colour	DS	SK	PHC	FS	AC	CC	Novik Trim
	262	Castle						•	Canyon Blend #208
	263	Latte						•	Weathered Blend #201
	1000	Grigio						•	Heritage Gray #063
	229	Basalt	•						Canyon Blend #208
	231	Brownstone	•						Cedar Blend #202
	233	Anthracite	•						Onyx #223
	234	Travertine	•						Heritage Gray #063
	235	Limestone	•						Weathered Blend #201
	236	Lava	•						Onyx # 223
	237	Flint	•						Gray Black Blend #206
	216	Aspen				•			Weathered Blend #201
	217	Smoke Gray				•			Weathered Blend #201
	218	Moka				•			Weathered Blend #201
	219	Terra				•			Terra #219
	223	Onyx	•	•	•				Onyx #223
	224	Sand Blend				•			Sand Blend #224
	225	Smoke White				•			Weathered Blend #201
	226	Shadow Gray				•			Gray Black Blend #206
	227	Misty Beige				•			Cedar Blend #202
	238	Grand Canyon					•		Gray Mortar #681
	240	Adirondacks					•		Gray Mortar #681
	242	Rocky Mountains					•		Gray Mortar # 681

**NovikStone Legend**

**DS** - Dry Stack Stone      **FS** - Fieldstone  
**SK** - Stacked Stone      **AC** - Artisan Cut  
**PHC** - Premium Hand-cut Stone      **CC** - Carrara Collection



## FOUNDRY SHAKE

- Easy to install as an accent or on large coverage areas
- Cast in real cedar molds creating extraordinary authenticity
- Available in a wide range of colours including The Foundry Weathered Collection and a match to Mitten vinyl colours



### 7" Split Shake

Shown in Lite Khaki


**Length/Pc:**  
60.75" 1.54m  
**Width/Pc:**  
7" 17.78cm  
**Panels/Ctn:**  
34  
**Coverage/Ctn:**  
100 sq. ft. 9.29 m<sup>2</sup>  
**Nominal Thickness:**  
0.45" 1.14mm



### 7" Staggered Shake

Shown in Red Cedar

**Length/Pc:**  
60.75" 1.54m  
**Width/Pc:**  
7" 17.78cm  
**Panels/Ctn:**  
17  
**Coverage/Ctn:**  
50 sq. ft. 4.65 m<sup>2</sup>  
**Nominal Thickness:**  
0.50" 1.27mm



### 10" Staggered Shake

Shown in Russet

**Length/Pc:**  
62.5" 1.59m  
**Width/Pc:**  
10" 25.4cm  
**Panels/Ctn:**  
23  
**Coverage/Ctn:**  
100 sq. ft. 9.29 m<sup>2</sup>  
**Nominal Thickness:**  
0.50" 1.27mm

# SHAKE & STONE

## MITTEN & NOVIK COLOURS

	MITTEN COLOUR MATCHED SHAKE					NOVIK SHAKE & STONE								
	8' Shake	Cedar Shake Corner	Northern Perfection Shake	Northern Perfection Corners	Half Round Panel	RS8 Cedar Shake	Cedar Shake Corner	Dry Stack	Dry Stack 2 Pc Corner	Stacked Stone	Stacked Stone Corner	NovikStone Prem. Ledger	NovikStone Prem. Ledger Corner	NovikTrim 1"
Bone #091M		•	•		•									
Satin Grey #149M		•	•											
Frost #501M		•	•		•									
Khaki Brown #669M		•	•											
Richmond Red #676M		•	•											
Sandalwood #697M		•	•											
Brownstone #698M		•	•	•	•									
Flagstone #801M		•	•											
Stratus #803M		•	•											
Hearthstone #804M		•	•											
Sage #807M		•	•											
Huron Blue #474M		•	•											
Yukon Grey #473M		•	•											
Sapphire Blue #942M		•	•											
Muskoka Green #461M		•	•											
Annapolis Blue #853M		•	•											
Timber Bark #954M		•	•											
Regatta Blue #955M		•	•											
Gunmetal Grey #956M		•	•	•	•									
Coffee Bean #990M		•	•	•	•									
Rockaway Grey #989M		•	•	•	•									
Ivory #094M		•	•											
Nickel #452M		•	•											
Indigo #451M		•	•											
Grenadier Green #866M		•	•											
White #001							•							•
Heritage Grey #063							•	•						•
Sandstone #064							•	•	•					•
Weathered Blend #201							•	•	•			•	•	•
Cedar Blend #202							•	•	•					•
Canyon Blend #208							•	•	•					•
Aspen #216										•	•			
Smoke Grey #217										•	•			
Moka #218										•	•			
Onyx #223										•	•		•	•
Sand Blend #224										•	•			
Basalt #229										•	•			
Brownstone #231							•	•	•					
Anthracite #233							•	•	•					
Travertine #234							•	•	•					
Limestone #235							•	•	•					
Lava #236							•	•	•					
Flint #237							•	•	•					
Oak #301							•							•
Ebony #305							•	•						
Gray Mortar #681											•	•		
Rockaway Grey #925							•							
Teak #304							•	•						
Walnut #303							•							
Grey Black Blend #206														•

## FOUNDRY COLOURS

	FOUNDRY			
	7" Split Shake	7" Staggered Shake	7" Shake Corner	1" J Channel
Eggshell #034	•			
Shadow #008	•			•
Snow #123		•		
Eastern Grey #258	•			•
Oatmeal #069	•			
Smoke Grey #528	•			
Flagstone #580	•			
Vanilla Bean #804		•		
Rustic Cedar #809		•	•	
Vintage Taupe #820		•	•	•
Harvest Wheat #822		•	•	•
Colonial Grey #827		•	•	•
Rustic Brown #828			•	
Sandalwood #821			•	
Moon Rock #826			•	
Briarwood #235				•
Tumbleweed #179				•
Driftwood #180				•
Sahara #048		•		
Toffee #246				•

## VERSETTA COLOURS

	VERSETTA STONE						
	Flat Panel	Universal Corner	J-Channel	Starter Strip	Wainscot Cap	Light Box	Receptacle Box
Terra Rosa	•	•					
Sterling	•	•					
Sand	•	•					
Plum Creek	•	•					
Northern Ash	•	•					
Mission Point	•	•					
Charcoal				•	•	•	•
Taupe				•	•	•	•
Stone Grey				•	•	•	•

## GENSTONE COLOURS

	GENSTONE								
	Stacked Stone	Stacked Stone Right Return	Stacked Stone Left Return	Stacked Stone Corner	Stacked Stone Inside Corner	Stacked Stone Trim	Stacked Stone Ledger	Stacked Stone Pillar Panel	Stacked Stone Paint Kit
Northern Slate	•	•	•	•	•	•	•	•	•
Vanilla Bean	•	•	•	•	•	•	•	•	•
Stratford	•	•	•	•	•	•	•	•	•
Coffee	•	•	•	•	•	•	•	•	•
Iron Ore	•	•	•	•	•	•	•	•	•
Kenai	•	•	•	•	•	•	•	•	•
KeyStone	•	•	•	•	•	•	•	•	•
Desert Sunrise	•	•	•	•	•	•	•	•	•

\*Additional colours may be available by special order.  
Product offering subject to change, please consult with your local branch.




**GenStone**<sup>®</sup>  
The Beauty of Stone Made Easy:

- Exclusive distributor in Canada
- Appearance of real masonry at a fraction of the cost
- Available in smaller pack sizes (6 panels per carton)
- Ideal for any project as there is no need for structural modifications to the foundation
- Simple, mortarless installation with four patterns for an authentic finish
- 25-year limited warranty

**GenStone Stacked Stone / Length/Pc:** 41" (1.0414m) - **Width/Pc:** 11.25" (28.575cm)



## TRIMS & ACCESSORIES







## VERSETTA STONE®

The beauty of stone, the simplicity of siding.

- Installs with screws or nails
- No metal lath or scratch coat necessary to install
- Panels interlock with tongue & groove system
- Built-in rain screen
- Pre-drilled weep holes allow water to escape
- Can be installed in any weather conditions
- Indoor/Outdoor application
- **110 MPH** Wind Resistance
- **60-Year** Corrosion Resistant Nailing Flange
- **50-Year** Transferable Warranty
- Class A Fire Rating
- ICC Evaluation Service Report ESR-2859



### UNIVERSAL CORNER



The Universal Corner panels are the same size and shape as Flat panels but have finished ends. Universal Corner panels fit neatly with Flat panels and are designed for use on end wall terminations and for inside and outside corners.

### FLAT PANEL



The main component of the Boral Versetta Stone® system, the Flat panel covers two square feet and weighs approximately 17 lbs. Each panel is embedded with a G-90 galvanized nailing flange that allows for easy installation with mechanical fasteners. The built-in rain screen and other moisture management features ensure proper water drainage.

**LEDGESTONE** - The rugged texture and purposeful irregularity offer an exposed and well-worn look that suggests years in the elements.

#### PANEL DIMENSIONS

**Height:** 8" **Length/Pc:** 36"

Note: Each panel covers 2 sq. ft.


### THE VERSETTA STONE® SYSTEM



Universal Corner



Flat Panel



Wainscot Cap



Light Box



J-Channel



Starter Strip



Receptacle Box



Trim Stone



Vinyl Windows



- Designs made for the various architectural style of your home
- Dual and triple-glazed insulated glass

Clad Vinyl Windows



- Durable Aluminum exterior
- Low-maintenance Vinyl interior
- Double & Triple-glazed insulated glass

Clad Wood Windows



- Durable Aluminum exterior
- Wood interior
- Double & Triple-glazed insulated glass

Design Arch Windows



- Durable Aluminum exterior
- Stylish Aluminum interior
- Double & Triple-glazed insulated glass

**FUSION**  
COLOUR WRAP™

A cost effective solution to add exterior and interior colour to vinyl windows and patio doors



Features and Benefits

- Multi-layered film is applied to vinyl using polyurethane reactive hot melt to create permanent bond between wrap and vinyl
- Easily withstands the most extreme heat and cold conditions
- Extremely resistant to scratches and abrasions
- Unaffected by environmental pollutants
- Performs well in sea-side applications
- Dirt and grime are easily cleaned away using normal mild household cleaners








## Fiberglass Woodgrain Entry Doors

- The beauty of traditional woodgrain doors
- Will not warp, rot or rust
- Four woodgrain patterns to choose from
- Can be stained or painted to complement your home's colour scheme
- Compression molded for high impact strength



## Fiberglass Smooth Entry Doors

- Smooth fiberglass door holds paint better than traditional wood doors
- Will not warp, rot or rust
- More durable than wood
- Insulates up to six times better than wood doors
- A variety of flush and embossed panels available, many with glass options



## Steel Smooth Entry Doors

- One of the most secure entry doors you can buy
- The steel skin prevents rotting, swelling and cracking
- Does not absorb moisture like wood so it holds paint longer for a bright entrance
- Helps insulate from heat, cold and outside noise

## Patio Doors Sliding and Swinging



- Multiple sliding patio doors to choose from, designed to coordinate with our windows
- Patio doors made to match your windows
- Hybrid aluminum clad vinyl doors have colourful and durable aluminum-cladding on the outside
- Interiors are fine grain textured wood which can be stained or painted to match your decor
- Inswing or outswing styles are available

## Storm Doors Aluminum or Vinyl



- Let in natural light and ventilation
- Provides protection from the elements
- Available in many styles from classic to modern in a variety of colours
- Comes with a retractable screen and locking lever handles

**Ply Gem Products are:**


**Energy efficient to save on heating & cooling costs:** In an average building, up to 40% of heat loss is due to old windows that are not airtight. When it comes to energy efficiency, Ply Gem is the leader in offering a wide variety of frame, sash and glass options.

**Durable and long lasting:** Ply Gem stands for quality products built to the tough standards of an industry leader. Cladding options in vinyl, aluminum and wood offer you the choice of long lasting windows & doors designed to perform in the tough Canadian climate.

**Made in Canada:** Ply Gem windows & doors are subject to the strict quality criteria prevailing in Canada.

**Backed by superior service:** The Ply Gem dealer network provides consistent installation practices with excellent on-site support. Ply Gem dealers offer premium service — both before and after the purchase.

**Ply Gem Canada Windows are ENERGY STAR certified**



COLOURMATCH



**Universal J-Block® Square Mounting Block**  
The J-Block® is designed to easily & attractively mount light fixtures & receptacles. Also offered in Scroll Cut.

**Universal Large J-Block® Mounting Block**  
The Large J-Block® is designed to mount large light fixtures, house numbers & mailboxes. Also offered in Scroll Cut.

**UL Mounting Block**

The Electrical UL® Mounting Block is designed to mount light fixtures or electrical outlets.

SURFACE DIMENSIONS:

5" x 6"

FLANGE DIMENSIONS:


7-1/2" x 8-1/2"

J-CHANNEL I.D.:

1/2" adjusts to 1-1/4"

KNOCKOUTS:

Round: 4" Diameter  
Rectangle: 2-3/8" x 3-3/4"




6" x 10-1/8"

8-5/8" x 12-7/8"

1/2" adjusts to 1-1/4"

Rectangle: 2-1/8" x 4-1/8"




5" x 6"

7" x 8"

5/8" adjusts to 1-1/4"

NA



**Split Recessed J-Block® Mounting Block**

The Split Recessed J-Block® has a patented hinge that allows for ease of installation.

**Mini J-Block® Mounting Block**

The Mini J-Block® mounting block mounts small accessories such as doorbells and electrical outlet receptacles.

**E-Z Block Surface Mounting Block**

The one-piece design can be used after siding installation to mount all types of accessories.

**Meter Base Mounting Block**

The Meter Base Mounting Block mounts large accessories such as hose racks and electric meter bases.

SURFACE DIMENSIONS:

5-5/8" x 7-3/8"

FLANGE DIMENSIONS:


6" x 7-1/2"

J-CHANNEL I.D.:

1/2" adjusts to 1-1/4"

KNOCKOUTS:

Rectangle: 2-1/4" x 3-7/8"




6" x 4-3/8"

6-7/8" x 5-1/4"

1/2" adjusts to 1-1/4"

Round: 1-1/8" Diameter  
Rectangle: 2-3/8" x 3-3/4"




6-3/4" x 6-3/4" - Projection: 3/4"

NA

NA

Round: 1" Diameter  
Rectangle: 2-3/8" x 3-3/4"




16-1/2" x 15-1/2"

18-1/2" x 16-3/4"

1-1/4"

NA






COLOURMATCH




**Foundation Vent**  
The Foundation Vent is used to ventilate crawl space areas.

SURFACE DIMENSIONS:	8-3/4" x 17"
FLANGE DIMENSIONS:	9-1/2" x 18-1/4"
J-CHANNEL I.D.:	3/4" adjusts to 1-1/4"
NET FREE AREA:	50 sq in




**Louvered Exhaust Vent**  
Louvered Exhaust Vent is used to vent dryers and bathroom exhaust fans.

4" = 7" x 7"	6" = 9" x 9"
4" = 8-1/2" X 7-1/2"	6" = 9-1/2" X 10-3/8"
3/4" adjusts to 1-1/4"	3/4" adjusts to 1-1/4"
4" = 9.2 sq in	6" = 17.6 sq in



**Hooded Exhaust Vent**  
The Hooded Exhaust Vent features snap-on installation and a built-in grate to keep animals out.

6-7/8" x 6-7/8"
6-5/8" x 5-5/8" Neutral Base
3/4" adjusts to 1-1/4"
NA




Gable Vent Base installed with siding

Gable Vent Cap installed with siding



- Gable Vents are available in round, square, octagonal, half-round and rectangular sizes
- Ply Gem's two-piece gable vent system is fully compatible with all siding profiles
- Simply install a base when installing the siding, then snap on the cover later
- Rectangular bases, instead of round, make siding cuts easier
- Available in Mitten Standard & Premium vinyl siding colours
- Paintable version available
- Adjustable 5/8" - 1-1/4" for use with all siding styles


ROUND DESIGN	ROUND TOP DESIGN	HALF-ROUND DESIGN	RECTANGULAR DESIGN	OCTAGONAL DESIGN	SQUARE DESIGN
SIZE:	14" x 22"	34" x 22"	14" x 20"   18" x 24"	18"   22"	14" x 14"
VENTILATED OPENING:	10" x 12-1/2"	20" x 16"	10-1/2" x 15"   16" x 20"	10" x 12-1/2"   10-1/2" x 15"	10" x 12-1/2"
OUTSIDE UNIT DIMENSIONS:	14" x 22"	34" x 22"	14" x 20"   18" x 24"	18"   22"	14" x 14"
NET FREE AREA (sq in):	53.17	80.46	23.29   92.88	49.72   48.5	33.59





## Ply Gem PVC Trim

PVC does not absorb water, so it won't rot, warp or split. PVC trim board can be cut, drilled and routed like wood. You can even install them to grade or against concrete.



### Trim Boards

PVC trim board can be cut, drilled & routed like wood. These are also available as sheets (smooth/smooth or woodgrain/smooth) or as notched bead board. They can be used for fascia, frieze boards, window and door trim, deck edging, and decorative accents.



### Skirt Boards

PVC skirt boards provide the finishing touch without the worries of water damage. The sloped top drains water away from the house, making it the ideal border for fiber cement and other composite siding materials. Available in smooth or woodgrain.



### Mouldings

Mouldings are a long-lasting alternative to wood accent trim and are available in shapes that enhance any home's style, in gables around windows and doors, or wherever you desire. Drip Cap, Shingle Mould, Rams Crown, Bead Board, Inside Corner, Historic Sill and Brick Mould are all available.



### Corners

One-piece outside corners provide a square edge with no unsightly, rough seams. Available in smooth or woodgrain finish.

### Withstands the elements



WOOD




WOOD

Because Ply Gem trim does not absorb moisture, it won't rot, split or warp like wood. It also does not attract termites or other insects.

### Won't split, crack or peel



FIBER CEMENT



PVC TRIM

PVC trim won't split or crack, and doesn't require sealing against moisture. It holds paint better and longer than wood, so you don't have to worry about paint peeling.

### Easy to install



PVC TRIM



PVC TRIM

Notched corners make it easier to install and eliminates the need for a J-channel. It cuts and saws like wood, and can be installed in natural white or painted.



SHAKES, STONE AND ACCENTS

- Quick & easy installation on any surface
- Linear system adjustable to the nearest 1/4" (0.64 cm) to fit the exact length of your window
- Resistance to discolouration (UV rays)
- Virtually maintenance-free
- Extreme temperature variation resistance

#### Louvered sizes:

- Widths: 12" (30.5 cm) or 14" (35.6 cm)
- Lengths: 22" (55.88 cm) to 72" (182.9 cm)

#### Raised Panel sizes:

- Widths: 12" (30.5 cm) or 14.5" (36.8 cm)
- Lengths: 22" (55.88 cm) to 72" (182.9 cm)

### Standard Colours:





**Imperial**  
Manufacturing Group™

## Aluminum Railing & Columns

Dramatically enhance the appearance and functionality of any home with high quality aluminum railing and columns. Durable, low maintenance option that will not crack, chip, warp, rot, or peel.



### Imperial Aluminum Columns

#### \*Square Flat Columns

- Widths: 8", (7-1/4" actual)
- Heights: 96", 108", 120" & 144"

#### \*Square Recessed Columns

- Widths: 8", (7-1/4" actual)
- Heights: 96", 108", 120" & 144"

\*Available in White or Black (Black available in 108" or 144" Heights)

### 5000 Series Railing

- Pre-assembled up to 13' in length
- Heights: 32", 36" & 42"
- Spindle sizes: 1/2" x 3/4", 3/4" x 3/4" & 3/4" x 1"
- Post sizes: 2" x 2" & 3" x 3"

### Legacy Series Railing

- Boxed ready to assemble system
- Lengths: 46", 59" & 72"
- Heights: 36", 42" & 48"
- Box includes top & bottom rails, spindles, spacer clips, spindle attachment, peg leg support & fastening hardware

### Colours




**NOTE:** \*Grey & Commercial Brown only available in 5000 Series Railing  
\*Legacy Series only available in Black & White

**ALPA**  
OUTDOOR PRODUCTS  
*Beautifying Home Exteriors*

## Vinyl Fence, Railing & Columns

Alpa Outdoor Products provide an easy to install, low-maintenance option to enhance the curb appeal of any home.



### 1400 Classic Series Railing

- 2-7/8" Wide Handrail
- 1-3/8" Balusters
- 4"x4" Posts
- Hidden hardware system
- Pre-assembled up to 7' 6" max. rail span
- Meets Part 3 and Part 9 of Ontario and National Building Code

### 1403 Builder Series Railing

- 2-1/8" Handrail
- 1-3/8" Balusters
- 3"x3" Posts
- Hidden hardware system
- Pre-assembled up to 7' max. rail span
- Meets Part 9 of Ontario and National Building Code

### Vinyl Fence

- Section Sizes: 4' x 6' & 6' x 6'
- Post Size: 4" x 4" x 78"
- 12 different styles available
- Fence panels arrive fully assembled
- Fence gates are reinforced with steel inserts for added strength & protection

### Colours



### Vinyl Columns

#### Square & Round Columns\*

- Widths: 8" & 9"
- Heights: 6', 8', 9', 10' & 12'

#### Split Square Columns

- Sizes: 8" x 6', 8" x 8', 8" x 9', 8" x 10', 8" x 12'

\*9" Column width available in square only



DuPont™  
**Flashing Systems**

## DUPONT® Tyvek Homewrap & Flashing

- Unique non-woven, non-perforated house wrap
- Prevents air and water infiltration
- Allows water vapour to escape to prevent mold and water damage
- Butyl-backed flashing requires no fasteners
- Protects window and door sill from water damage



## HOMEGUARD™ Titan House Wrap

- Customize with your company logo (minimum 1 pallet)
- CCMC Certified - Air barrier and sheathing membrane
- Reduces energy bills in both winter and summer
- Built in drainage planes, protect the home from mold and other moisture related problems
- Lifetime Warranty (UV Resistant 120 days)

## Insulation, Sealants & Foams



Professional solutions to tighten the building envelope and reduce:

- Air leakage & infiltration
- Moisture entry points
- Thermal bridging
- Energy loss
- Heating & cooling costs
- Outside noise transmission



**KOP-R-LASTIC**

**MITTEN BUILDING PRODUCTS LEVELWALL**



## BENDING EQUIPMENT, SCAFFOLDING, LADDERS & HAND TOOLS



Ask us about our wide selection of finishing solutions for all your exterior projects.

We have the right tool for every job!

- Gutter Systems
- Tools
- Scaffolding
- Ladders
- Bending Equipment
- Colour Matched Trim Nails
- Cortex Screws
- Roofing Nails

**ALUM-A-POLE®**

**Malco®**

**Tapco** integrated tool systems

**Van Mark**  
The Mark of Quality



# 2022 VINYL COLOUR MATRIX

		Sentry® D4" Horizontal D4.5" Dutchlap Board & Batten	Highland™ D4" Horizontal D4.5" Horizontal D4.5" Dutchlap D5" Horizontal D5" Dutchlap T3" Horizontal	Oregon Pride® D4" Horizontal D4" Dutchlap D4.5" Horizontal D5" Vertical	MITTEN Colour Matched 8' Shake	D5" Soffit Solid Perforated FV	T4" Soffit Solid/Perforated, FV Lanced, Lanced FV & Perf. CV	Pleasant View Skirting Triple 4" Skirting, Plain & Vented Front, Back & Bottom Trims
RUSTIC	Burnt Sienna	●				●		
	Farmhouse	●				●		
	Arctic Grey	●				●		
	Hemlock	●				●		
BOLD PREMIUM	Huron Blue	●	●		●			
	Yukon Grey	●	●		●			
	Lighthouse Red	●	●					
	Richmond Red	●	●		●			
	Eggplant	●	●					
	Khaki Brown	●	●	●	●	●		
	Caribou Brown	●	●					
	Coffee Bean	●	●			●		
	Timber Bark	●	●			●		
	Rockaway Grey	●	●	●	●	●		
	Gunmetal Grey	●	●			●		
	Sapphire Blue	●	●			●		
	Regatta Blue	●	●			●		
	Annapolis Blue	●	●			●		
	Muskoka Green	●	●			●		
	Grenadier Green	●	●	●	●	●		
Aviator Green	●	●			●			
NATURAL STANDARD	Frost	●	●	●	●	●	●	●
	Bone	●	●	●	●	●	●	●
	Ivory	●	●	●	●	●	●	●
	Saffron	●	●	●	●	●	●	●
	Sandcastle	●	●	●	●	●	●	●
	Sandalwood	●	●	●	●	●	●	●
	Hearthstone	●	●	●	●	●	●	●
	Ash	●	●	●	●	●	●	●
	Brownstone	●	●	●	●	●	●	●
	Satin Grey	●	●	●	●	●	●	●
	Flagstone	●	●	●	●	●	●	●
	Indigo	●	●	●	●	●	●	●
	Stratus	●	●	●	●	●	●	●
	Nickel	●	●	●	●	●	●	●
	Sage	●	●	●	●	●	●	●
	Cypress	●	●	●	●	●	●	●
	Musket Brown	●	●	●	●	●	†	●
Black	●	●	●	●	●	●	*	

† Musket Brown is only available in T4 Full Perforated Vent.




	RUSTIC	BOLD PREMIUM	NATURAL STANDARD	Trims & Accessories
<b>Jamb-Fit™ Soffit</b>				1/2" J-Channel
8" Solid & Vented				1/2" F-Channel
16" Solid & Vented				5/8" J-Channel
<b>Equinox T3-1/3" Soffit</b>				7/8" J-Channel
Solid				H-Trim
Hidden Vent				Finish Trim
<b>7" Beaded Soffit</b>				Drip Cap
Solid				Inside Corner Post
Hidden Vent				10- 3" Outside Corner Post
				20- 5.5" Outside Corner Post
				Fluted 20- 5.5" Outside Corner Post
				12" 3" Outside Corner Post
				Belt Line
				Window Casing Trim
				Win/Door Trim
				Recessed Win/Door Trim
				Fascia & Fascia J
				1/4" J-Channel
				12-4.5" Outside Corner Post
				1/4" Inside Corner
				1/4" Window/Door Trim
				1/4" Window/Door Starter

\* Black Soffit is only available in T4 Perforated Full, Centre Vent and Solid. Panels & trims are for Soffit use only.

# BRANCH LOCATIONS

Please call **1.888.MITTEN4**  
(1.888.648.8364) to contact  
the closest branch location



**6 PLY GEM**  
**WINDOW & DOOR MANUFACTURING**  
7140 40 Street SE  
Calgary, AB T2C 2B6  
P: 403.203.8200

**14 MITTEN**  
**SIDING MANUFACTURING & DISTRIBUTION**  
5A - 225 Henry St., Brantford, ON N3S 7R4  
Phone: 519.805.4701 Toll Free: 1.800.265.0774  
Alternate Toll Free :1.888.MITTEN4 (regional)

## WESTERN REGION

**1. VICTORIA**  
#149-2745 Veterans Memorial  
Pkwy., Langford, BC V9B 0H4  
P: 236.464.1749

**2. KELOWNA**  
340 Old Vernon Road  
Kelowna, BC V1X 4R2  
P: 250.868.9006

**3. PORT COQUITLAM**  
1750 Coast Meridian Rd., Unit #118,  
Port Coquitlam, BC V1M 4B9  
P: 778.383.1060 (Siding)  
P: 604.270.1488 (Windows)

**4. PRINCE GEORGE**  
101 1596 Quin Street S  
Prince George, BC V2N 1X4  
P: 250.564.7888

**5. CALGARY (Siding)**  
2008 - 48 Street SE  
Calgary, AB T2B 2E5  
P: 403.253.1988

**7. EDMONTON**  
6236 50th St. NW, Building 11,  
Edmonton, AB T6B 2N7  
P: 780.468.5222 (Siding)  
P: 780.451.2590 (Windows)

**8. RED DEER**  
#8 - 4622 61 Street  
Red Deer, AB T4N 2R2  
P: 403.346.5189

**9. LETHBRIDGE**  
#10 - 3004 9 Avenue N  
Lethbridge, AB T1H 5E5  
P: 403.327.7281

**10. MEDICINE HAT**  
1887 6 Avenue SW  
Medicine Hat, AB T1A 8C3  
P: 403.526.2520

**11. REGINA**  
106 Leonard Street N  
Regina, SK S4N 5V7  
P: 306.545.7635 (Siding)  
P: 306.352.2399 (Windows)

**12. SASKATOON**  
#102-815 66th Street E  
Saskatoon, SK S7P OE6  
P: 306.244.5777 (Siding)  
P: 306.374.6166 (Windows)

**13. WINNIPEG**  
Unit 10 - 127 Mountain View Rd.  
Winnipeg, MB R0C 3A0  
P: 204.774.1580 (Siding)  
P: 204.774.1580 (Windows)

## ONTARIO REGION

**15. BRANTFORD**  
5A - 225 Henry St.  
Brantford, ON N3S 7R4  
P: 519.753.1810

**16. LONDON**  
3969 Commerce Rd. Unit # 2  
London, ON N6N 1P5  
P: 519.644.2675

**17. WHITBY**  
Unit 3 - 185 William Smith Dr  
Whitby, ON L1N 0A3  
P: 647.725.0734

**18. OTTAWA**  
2320 St Laurent Boulevard  
Ottawa, ON K1G 6C4  
P: 800.267.1550

## QUEBEC REGION

**19. MONTREAL**  
9075 Boul Henri-Bourassa East  
Montreal, QC H1E 1P6  
P: 514.352.9555

**20. LEVIS**  
795 rue J. Ambroise-Craig  
Levis, QC G7A 2N2  
T: 877.568.3132

## ATLANTIC REGION

**21. FREDERICTON**  
20 Casewood Dr.  
Fredericton, NB E3C 2L5  
P: 506.453.0888

**22. MONCTON**  
215 English Dr.  
Moncton, NB E1E 3Y8  
P: 506.858.8824

**23. DARTMOUTH**  
19 Gurholt Drive.  
Dartmouth, NS B3B 1J8  
P: 902.468.3363

**24. MOUNT PEARL**  
47 Clyde Ave.  
Mount Pearl, NL A1N 4R8  
P: 709.368.4001

# EXTERIOR BUILDING SOLUTIONS



# MITTEN®

## BUILDING PRODUCTS




SIDING



ALUMINUM



SHAKE




WINDOWS




ENTRY & PATIO DOORS




STONE



ACCENTS



TOOLS & EQUIPMENT



BUILDING ENVELOPE

Mitten and its Allied product partners make every reasonable effort to ensure the accuracy of the information provided. As information continually changes throughout the day-to-day course of our business, Mitten and its partners reserve the right at any time to change or update this information without notice and make no warranties or representation to its accuracy.



Authorized Dealer/Distributor

MIT - 1/22 49-809-000-00 West

# MITTEN®

## BUILDING PRODUCTS

Part of the Cornerstone Building Brands Family

5A - 225 HENRY STREET • BRANTFORD, ONTARIO N3S 7R4  
800.265.0774 (T) • 866.257.2168 (F) • MITTENSIDING.COM

